

# *Why Melasty*

# 3111

## LONG LINER

*Uzun Meme Lastiği (IGA)*

Сосковая резина (IGA)



**3111 Long Liner (IGA)**; due to the design and structure of bellows, convenient folding is provided and during the attachment of system to nipples vacuum loss is prevented. Provides ease of use.

**3111 Uzun Meme Lastiği (IGA)** 'nın tasarımındaki körüklu yapı sayesinde rahat katlanması sağlanmakta ve sağım başlığının memeye tutturulması esnasında sistemde vakum kaybı yaşanmamaktadır. Ve kullanım kolaylığı sağlanmaktadır.

**3111 Сосковая резина (IGA)** из-за дизайна и сильфонной структуры обеспечивается удобная складывание и во время крепления системы к соскам предотвращается потеря вакуума. И обеспечивает простоту использования.



**3111 Long Liner (IGA)**; designed after determining the deficiencies on the other liners as a result of R & D activities by [Melasty](#) engineers, design owned by [Melasty](#).


**3111 Uzun Meme Lastiği (IGA)** [Melasty](#) mühendisleri tarafından ar-ge çalışmaları sonucu diğer meme lastiklerindeki eksikler tespit edilerek dizayn edilmiş tasarımları [Melasty](#)'e ait olan ürünüdür.

**3111 Сосковая резина (IGA)** разработан после определения недостатков других сосковых резин в результате R & D деятельности инженерами [Melasty](#), дизайн принадлежит [Melasty](#).

The neural stimulation effect that is created by the nipple and breast massage, causes the secretion of hormone; Oxytocin. Oxytocin hormone starts to milking and facilitating milking through the bloodstream, after stimulation of nipples. Secretion of the Oxytocin hormone lasts for **5 to 7 minutes**. Milking must be completed within this period.

**3111 Long Liner (IGA)** ergonomically shaped and was developed for high-yielding cattle. Wider size of claw connections with liner ( $\varnothing 14\text{ mm.}$ ) allows milk reaches claw from nipple immediately (faster). This feature is especially important for highly efficient milking animals.

Otherwise, the remaining milk in Teatcup will go back at high speed (**70 km/hour**) back to the breast and crashes to nipple to damage. This is to prevent damage **Melasty** as a result of their R & D activities. **Melasty** engineers have designed **3111 IGA** to prevent damage as a result of their R & D activities.



Meme başına ve memeye yapılan masajın yarattığı direkt sinirsel etki, oksitosin hormonunun salgılanmasını sağlar. Oksitosin hormonu kan yoluyla memeye ulaşıp sütün indirilmesi işlemini sağlar. Oksitosin salgılanması **5-7 dakika** sürer. Bu süre içerisinde sağının tamamlanması gereklidir.

**3111 Uzun Meme Lastiği (IGA)** Yüksek verimli inekler için geliştirilmiş; ergonomik yapılı meme lastiğidir. Memelik lastiklerinin pençe ile bağlantısının geniş olması ( $\varnothing 14\text{ mm.}$ ), sağlanan sütün derhal (hızla) meme başından pençeye ulaşmasını sağlar. Bu özellik, özellikle yüksek verimli hayvanların sağımı açısından önemlidir. Aksi takdirde, kadeh içinde kalan süt büyük bir hızla (**70 km/saat hızla**) memeye geri çarpar ve memeye zarar verir. Bu zararı engellemek için **Melasty** mühendisleri yaptıkları ar-ge çalışmaları sonucunda **3111 İGA**'yı tasarlamışlardır.

Массаж сосков и вымени обеспечивает прямое влияние нейронных секреций гормона окситоцина. Окситоцин является гормоном, через кровь достигает сосков и осуществляется процесс доения . Окситоцин секреция длится от **5 до 7 минут**. Доение должно быть завершено в течение этого периода.

В доильных аппаратах Melasty выходы используемой сосковой резины разработано как **Ø14мм**. Широкая соединение сосковой резины с коллектором обеспечивает быстрый доступ молока из соска в коллектор. Это особенно важно в доении высокоэффективных животных. В противном случае оставшийся молоко с большой скоростью (**70 км/час**) врезается обратно в соски и повреждает их. Чтобы предотвратить такое повреждение инженеры **Melasty** в результате своей R&D деятельности спроектировали 3111 IGA.

*Old*

*New*



*Eski Meme Lastiği*

*Yeni Meme Lastiği*

Lactic acid in the milk, hot or cold water used during the washing cycle, weather conditions, ozone in the environment and repeated movement during milking, causes the liners deformed (elongation) before expected expiration period. And this causes a reduction of strain within the teatcup shell.

On **3111 IGA** Liners; as a result of R & D carried out by [Melasty](#), insertion part of liner has been upgraded to two stages to bring the performance level increased again by taking from section (level) **A** to section (level) **B**, when the deformation occurs.

Sağım esnasında kullanılan meme lastiklerinde, sütteki laktik asit, yıkama esnasında kullanılan sıcak ve soğuk su, dış hava koşulları, ortamda bulunan ozon ve meme lastığının sağım esnasında yapmış olduğu tekrarlanan mekanik haraket, meme lastığının kullanım süresi dolmadan deformasyona uğramasına (uzamasına) yol açmaktadır. Ve memelik kılıfının içersindeki gerginliğin azalmasına sebep olmaktadır.

**3111 İGA** Meme lastiği ise, [Melasty](#) tarafından yapılan arge sonucu kılıfın takıldığı kısım, iki kademeye çıkarılarak, deformasyon meydana geldiğinde meme lastiği **A** kademesinden **B** kademesine getirilerek kılıf içersindeki gerginlik eski haline getirilerek performansı tekrar yükseltilmektedir.

Во время доения используемая сосковая резина; молочная кислота в молоке, используемая во время промывки горячая и холодная вода, внешние погодные условия, озон в окружающей среде и повторяющие механические движения сосковой резины во время доения вызывают деформации сосковой резины до истечения срока использования. Эта деформация приводит к снижению напряженности в корпусе доильного стакана.

В сосковой резине 3111 IGA, часть оболочки отделена двумя делениями и при деформации подтянув сосковую резину на стакан с **A** до **B** деления напряжение внутри оболочки повышается и производительность увеличивается снова.

# 7050

## MILKING CLAW (Complete) 240cc

240cc- Komple Melasty Pençe

Коллектор 240cc (Комплект)

As a result of R & D carried out by **Melasty**, on **7050 Complete Claw**, the diameter of Milk-inlet nipples increased to **18,5mm** to have the milk easily from liner, also the Milk-outlet tube has been expanded to **21mm** so after closing the claw, milk transition made more comfortable. Thus, milking time was shortened.

Due to the vacuum fluctuations, milk gets back in to the nipples, this causes the biggest reason for udder diseases. On **7050 Complete Claw** the capacity has been increased to **240cc** to prevent this by reducing the fluctuations while milking.

**Melasty** tarafından yapılan arge sonucunda, üretilen **7050 Komple Melasty Pençe**'de sütün pençeye giriş yaptığı ayakların çapı **18,5mm** ye çıkartılarak sütün meme lastiğinden rahat bir şekilde alınması sağlanmış, pençe kapağına ise, sütün süt hortumuna çıkış yaptığı kısım **21mm** ye genişletilerek sütün pençeden rahat bir şekilde geçisi sağlanmıştır. Böylece sağım süresi kısaltılmıştır.

Vakum dalgalarının sebebiyle memeden çıkan süt tekrar memeye geri girmekte ve meme hastalıklarının en büyük sebebi olmaktadır. **7050 Komple Melasty Pençe**'de ise pençe hacmi **240cc** ye çıkarılarak sağım esnasında meydana gelen vakum dalgaları azaltılarak bu engellenmektedir.

В результате проведённой **Melasty** R&D деятельности, произведённый 7050 Коллектор (Комплект) вход молока в коллектор увеличен до **18,5мм** для получения с легкостью молока из сосковой резины, а выход молока из коллектора в молочный шланг расширен до **21мм** для комфортного прохождения через коллектор. Таким образом, время доения сведено к минимуму.

Из-за колебаний вакуума выходящая из сосков молоко попадает обратно и является основной причиной заболеваний вымени. А в 7050 Коллектор (Комплект) объём увеличенный до **240cc** уменьшает колебаний во время доения и препятствует этому.



# 3442

## SINGLE MILK TUBES

Tekli Süt Hortumu

Молочный шланг

As a result of R & D carried out by [Melasty](#), on **3422 Single Milk Hose**, Milk-outlet tube OD x ID designed as **Ø25mm** by **Ø16mm**, Internal Diameter has been expanded for a more convenient transition

During the hot weather conditions, hose adhesion after softening while milk flow, has been prevented with the wall thickness of **4.5 mm** and internal diameter **Ø16mm**.

[Melasty](#) tarafından yapılan arge sonucunda, üretilen **3422 Tekli Süt Hortumu Ø25mm x Ø16mm** olarak tasarlanmış tekli süt hortumlarının iç çapı genişletilerek sütün pençeden süt güğümüne geçişini rahatlatalmıştır.

İç çapı **Ø16mm** et kalınlığı ise **4,5mm** olarak yapıldığında sıcak havalarda süt geçışı ile birlikte hortumun yumuşayarak yapışması engellenmiştir.

В результате проведенной Melasty R&D деятельности, созданный 3422 Молочный шланг разработан увеличенным внутренним диаметром Ø25мм x Ø16мм для более удобного прохода молока из коллектора в доильное ведро.

Когда произведено с внутренним диаметром Ø16мм и толщиною 4,5мм предотвращено смягчаясь прилипанию шланга при прохождении молока в жаркую погоду.

# 7003

## TUBE CLIP

### Melasty Hortum Kelepçesi

### Зажим шланга





# 3271

## TWIN PULSE TUBES

Nabız Hortumu

Вакуумный шланг



As a result of R & D carried out by [Melasty](#), **7003 Melasty Hose Clamp** produced by soft material, to prevent the clamp deforming the single milk tubes and pulse tubes. Due to its monolithic structure, it is prevented from falling during use.

[Melasty](#) tarafından yapılan arge sonucunda, üretilen **7003 Melasty Hortum Kelepçesi** yumuşak malzemeden üretilerek kelepçenin, tekli süt hortumu ve nabız hortumunun formunun bozması, yekpare yapısı sayesinde zaman içerisinde kullanım esnasında hortumlardan düşmesi engellenmiştir.

В результате проведенной [Melasty](#) R&D деятельности, созданный 7003 Зажим шланга Melasty изготовлено из мягкого материала . Благодаря мягкой структуры зажима предотвращено нарушение формы молочного и вакуумного шланга. С течением времени во время использования, благодаря монолитной структуре исключена возможность падения.



During the manufacture of **Melasty** Milking Machine Chassis, the vacuum line is provided in a closed circulating system, thus, vacuum line has been isolated from corrosion may occur on chassis (rust, decay, holes may occur on chassis) by use of time. 5mm sheet was used in connection with air tank and chassis and the vibration resulting sound has been blocked, thus more solid and strong structure was redesigned.

**Melasty** süt sağma makinesinin şasesinin imalatında vakum hattının kapalı bir sistemle dolaştırılması sağlanmış, zaman içerisinde şase üzerinde meydana gelebilecek olan korozyondan (paslanma, çürüme, şasede meydana gelebilecek delikler) vakum hattı izole edilmiştir. Hava tankının şase ile bağlantısında 5mm lik sac kullanılarak vibrasyonla oluşabilecek ses engellenmiş, ve sağlam bir yapıya kavuşturulmuştur.

В производстве шасси доильного аппарата **Melasty**, вакуумный трубопровод обеспечивается замкнутой системой для циркуляции, таким образом вакуумный трубопровод изолирован от возникающих с течением времени коррозий (ржавчины, гниения, отверстий которые могут произойти на шасси). Вакуумная система, установлена на шасси с использованием металлической пластины толщиной 5мм, было достигнута прочная конструкция и вибрации на шасси сведены к минимуму.



# 7005

## VACUUM DISTRIBUTOR

Melasty Vakum Distribütörü

Вакуумный распределитель Melasty



# 7007

## ¾ 20MM HOSE FITTINGS

¾ 20mm Erkek Hortum Rekoru

¾ 20мм Штуцер



Due to vacuum tank outlet is smaller and air partition was made in narrow diameters, decrease in volumetric flow rate was discovered as a result of R & D carried out by Melasty. This problem was reduced with development of **Melasty 7005 Vacuum Distributor** with Inlet Ø30mm – outlet Ø24, 5mm and air tank vacuum outlet was upgraded to Ø32mm, thus makes machine breathes more comfortable.

Melasty tarafından yapılan arge sonucunda, üretilen süt sağım makinelerinde pompa tarafından üretilen vakum, vakum tankının çıkışının küçük olması ve hava taksimatının dar çaplarında yapılmasıyla makine debisinde büyük ölçüde düşüş saptanmıştır. Bu sorun, Melasty tarafından geliştirilen **7005 Vakum Distribütörü**'nde giriş Ø30mm – çıkış Ø24,5mm ve hava tankının vakum çıkışı (Ø32mm) yükseltilerek makininin rahat nefes alması sağlanmıştır.

В результате R&D деятельности, осуществляемой Melasty был обнаружен значительное снижение скорости потока воздуха в случае малого входа, выхода вакуумного бака аппарата и узкого диаметра вакуумный распределителя. Эта проблема, решена за счет увеличения 7005 Вакуумный распределителя вход Ø30мм – выход Ø24,5мм разработанным Melasty и обновлением выхода вакуумного бака (Ø32мм)

# 7006

## ¾ BUTTERFLY HANDLE BALL VALVES

¾ Kelebek Küresel Vana

¾ Шаровой Кран Бабочка





melasty  
BUILDING MACHINES

|   |   |       |
|---|---|-------|
|     | <b>DOUBLE MILKING MACHINES FOR COWS</b>                     |       |
|   | <i>İkili Sağım Makinesi (Büyükbaş)</i>                      | 14-15 |
|    | <b>DOUBLE MILKING MACHINES FOR COWS (GASOLINE ENGINE)</b>   |       |
|   | <i>Benzinli İkili Sağım Makinesi (Büyükbaş)</i>             | 16-17 |
|    | <b>DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)</b>       |       |
|   | <i>İkili Sağım Makinesi Çift Güyümlü (Büyükbaş)</i>         | 18-19 |
|    | <b>DOUBLE MILKING MACHINES FOR GOATS</b>                    |       |
|   | <i>İkili Sağım Makinesi (Keçi)</i>                          | 20-21 |
|    | <b>DOUBLE MILKING MACHINES FOR GOATS (GASOLINE ENGINE)</b>  |       |
|   | <i>Benzinli İkili Sağım Makinesi (Keçi)</i>                 | 22-23 |
|    | <b>DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)</b>      |       |
|   | <i>İkili Sağım Makinesi Çift Güyümlü (Keçi)</i>             | 24-25 |
|    | <b>DOUBLE MILKING MACHINES FOR SHEEPS</b>                   |       |
|   | <i>İkili Sağım Makinesi (Koyun)</i>                         | 26-27 |
|    | <b>DOUBLE MILKING MACHINES FOR SHEEPS (GASOLINE ENGINE)</b> |       |
|   | <i>Benzinli İkili Sağım Makinesi (Koyun)</i>                | 28-29 |
|    | <b>DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)</b>     |       |
|   | <i>İkili Sağım Makinesi Çift Güyümlü (Koyun)</i>            | 30-31 |
|    | <b>SINGLE MILKING MACHINES FOR COWS</b>                     |       |
|   | <i>Tekli Sağım Makinesi (Büyükbaş)</i>                      | 32-33 |
|   | <b>SINGLE MILKING MACHINES FOR COWS (GASOLINE ENGINE)</b>   |       |
|   | <i>Benzinli Tekli Sağım Makinesi (Büyükbaş)</i>             | 34-35 |
|  | <b>SINGLE MILKING MACHINES FOR COWS (JUNIOR)</b>            |       |
|   | <i>Tekli Sağım Makinesi (Büyükbaş)</i>                      | 36-37 |
|  | <b>SINGLE MILKING MACHINES FOR COWS (ECOMINI)</b>           |       |
|   | <i>Tekli Sağım Makinesi (Büyükbaş)</i>                      | 38-39 |
|  | <b>SINGLE MILKING MACHINES FOR COWS (COMPACT)</b>           |       |
|   | <i>Tekli Sağım Makinesi (Büyükbaş)</i>                      | 40-41 |

|   |  |       |
|---|--|-------|
|     | <b>SINGLE MILKING MACHINES FOR GOATS</b>                   |       |
|   | Tekli Sağım Makinesi (Keçi) .....                          | 42-43 |
|    | <b>SINGLE MILKING MACHINES FOR GOATS (GASOLINE ENGINE)</b> |       |
|   | Benzinli Tekli Sağım Makinesi (Keçi) .....                 | 44-45 |
|    | <b>SINGLE MILKING MACHINES FOR GOATS (JUNIOR)</b>          |       |
|   | Tekli Sağım Makinesi (Keçi) .....                          | 46-47 |
|    | <b>SINGLE MILKING MACHINES FOR GOATS (ECOMINI)</b>         |       |
|   | Tekli Sağım Makinesi (Keçi) .....                          | 48-49 |
|    | <b>SINGLE MILKING MACHINES FOR GOATS (COMPACT)</b>         |       |
|   | Tekli Sağım Makinesi (Keçi) .....                          | 50-51 |
|    | <b>SINGLE MILKING MACHINES FOR SHEEPS</b>                  |       |
|   | Tekli Sağım Makinesi (Koyun) .....                         | 52-53 |
|    | <b>SINGLE MILKING MACHINES FOR SHEEPS(GASOLINE ENGINE)</b> |       |
|   | Benzinli Tekli Sağım Makinesi (Koyun) .....                | 54-55 |
|    | <b>SINGLE MILKING MACHINES FOR SHEEPS (JUNIOR)</b>         |       |
|   | Tekli Sağım Makinesi (Koyun) .....                         | 56-57 |
|    | <b>SINGLE MILKING MACHINES FOR SHEEPS (ECOMINI)</b>        |       |
|   | Tekli Sağım Makinesi (Koyun) .....                         | 58-59 |
|    | <b>SINGLE MILKING MACHINES FOR SHEEPS (COMPACT)</b>        |       |
|   | Tekli Sağım Makinesi (Koyun) .....                         | 60-61 |
|    | <b>MILK BUCKET UNIT FOR COWS</b>                           |       |
|   | Süt Gügüm Ünitesi (Büyükbaş) .....                         | 62    |
|   | <b>FIXED SYSTEM VACUUM PUMP</b>                            |       |
|   | Sabit Sistem Vakum Pompası .....                           | 63    |
|  | <b>FIXED SYSTEM &amp; SINGLE MILK BUCKET UNIT</b>          |       |
|   | Tek Gügüm Üniteli Sabit Sistem (Büyükbaş) .....            | 64-67 |
|  | <b>FIXED SYSTEM BUCKET UNIT TROLLEY</b>                    |       |
|   | Sabit Sistem Gügüm Ünitesi Taşıma Arabası .....            | 68    |
|  | <b>BUCKET TROLLEY</b>                                      |       |
|   | Gügüm Taşıma Arabası (İkili) .....                         | 69    |

|   |  |       |
|---|--|-------|
|     | <b>DOUBLE MILKING MACHINES FOR COWS</b><br><i>İkili Sağım Makinesi (Büyükbaş)</i>                            | 70-71 |
|    | <b>DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)</b><br><i>İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)</i> | 72-73 |
|    | <b>DOUBLE MILKING MACHINES FOR GOATS</b><br><i>İkili Sağım Makinesi (Keçi)</i>                               | 74-75 |
|    | <b>DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)</b><br><i>İkili Sağım Makinesi Çift Gügümlü (Keçi)</i>    | 76-77 |
|    | <b>DOUBLE MILKING MACHINES FOR SHEEPS</b><br><i>İkili Sağım Makinesi (Koyun)</i>                             | 78-79 |
|    | <b>DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)</b><br><i>İkili Sağım Makinesi Çift Gügümlü (Koyun)</i>  | 80-81 |
|    | <b>SINGLE MILKING MACHINES FOR COWS</b><br><i>Tekli Sağım Makinesi (Büyükbaş)</i>                            | 82-83 |
|   | <b>SINGLE MILKING MACHINES FOR COWS (JUNIOR)</b><br><i>Tekli Sağım Makinesi (Büyükbaş)</i>                   | 84-85 |
|  | <b>SINGLE MILKING MACHINES FOR GOATS</b><br><i>Tekli Sağım Makinesi (Keçi)</i>                               | 86-87 |
|  | <b>SINGLE MILKING MACHINES FOR GOATS (JUNIOR)</b><br><i>Tekli Sağım Makinesi (Keçi)</i>                      | 88-89 |

**SINGLE MILKING MACHINES FOR SHEEPS**

Tekli Sağım Makinesi (Koyun)..... 90-91

**SINGLE MILKING MACHINES FOR SHEEPS (JUNIOR)**

Tekli Sağım Makinesi (Koyun)..... 92-93

**FIXED SYSTEM BUCKET UNIT TROLLEY**

Sabit Sistem Güğüm Ünitesi Taşıma Arabası..... 94

**FIXED SYSTEM VACUUM PUMP**

Sabit Sistem Vakum Pompa..... 95

**FIXED SYSTEM & SINGLE MILK BUCKET UNIT**

Tek Güğüm Üniteli Sabit Sistem (Büyükbaş)..... 96-99

**FARM EQUIPMENTS**

Çiftlik Ekipmanları..... 100-103

**MELASTY MILKING MACHINE SPARE PARTS**

Melasty Süt Sağım Makinaları Yedek Parçaları..... 104-108



D

N

E

R

T

# TK 2-PS

## DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 70   |
| Height (cm) | 105  |
| Weight (kg) | 60,1 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

Pump Type : Oil Pump (TY 2-PS)





OPTIONAL

## TK 2-PK

### DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



#### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (TY 2-PK) |
|-----------|----------------------|

## TK 2-AS

### DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



#### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (TY 2-AS) |
|-----------|----------------------|

## TK 2-AK

### DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



#### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (TY 2-AK) |
|-----------|----------------------|



D

N

E

R

T

# TK 2-PS(G.E)

## DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



### ENGINE FEATURES

|                        |                        |
|------------------------|------------------------|
| Net Horse Power Output | : (7hp) at 3,600 r/min |
| Engine Type            | : Air-cooled, 4-Stroke |
| Fuel Type              | : Unleaded Gasoline    |

### TECHNICAL FEATURES

| <b>CHASSIS</b> |        |
|----------------|--------|
| Length (cm)    | : 150  |
| Width (cm)     | : 70   |
| Height (cm)    | : 115  |
| Weight (kg)    | : 85,2 |

| <b>BOX</b> |  |
|------------|--|
| 85         |  |
| 62         |  |
| 119        |  |
| 92,6       |  |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 2-PS(G.E)) |
|-----------|---------------------------|





OPTIONAL

## TK 2-PK(G.E.)

**DOUBLE MILKING MACHINES FOR COWS**

*İkili Sağım Makinesi (Büyükbaş)*



### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TY2-PK(G.E)) |
|-----------|--------------------------|

## TK 2-AS(G.E.)

**DOUBLE MILKING MACHINES FOR COWS**

*İkili Sağım Makinesi (Büyükbaş)*



### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 2-AS(G.E)) |
|-----------|---------------------------|

## TK 2-AK(G.E.)

**DOUBLE MILKING MACHINES FOR COWS**

*İkili Sağım Makinesi (Büyükbaş)*



### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 2-AK(G.E)) |
|-----------|---------------------------|



D

Z

E

R

T

# TK 2-2 PS

## DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 81   |
| Height (cm) | 105  |
| Weight (kg) | 68,8 |
|             | 74,4 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

Pump Type : Oil Pump (TY 2-2 PS)

|                 |  |     |  |
|-----------------|--|-----|--|
| 20 ft           |  | 28x |  |
| 40 ft           |  | 56x |  |
| 40 ft High Cube |  | 84x |  |



OPTIONAL

## TK 2-2 PK

### DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TY 2-2 PK) |
|-----------|------------------------|

## TK 2-2 AS

### DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TY 2-2 AS) |
|-----------|------------------------|

## TK 2-2 AK

### DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TY 2-2 AK) |
|-----------|------------------------|



# TKKC 4-PS

DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 70   |
| Height (cm) | 105  |
| Weight (kg) | 58.7 |
|             | 62,4 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

Pump Type : Oil Pump (TYKC 4-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



# TKKC 4-PK

## DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKC 4-PK) |
|-----------|------------------------|

# TKKC 4-AS

## DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKC 4-AS) |
|-----------|------------------------|

# TKKC 4-AK

## DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKC 4-AK) |
|-----------|------------------------|

O  
P  
T  
I  
O  
N  
A  
L



D

N

E

R

T

# TKKC 4-PS(G.E.) ENGINE FEATURES

## DOUBLE MILKING MACHINES FOR GOATS

*İkili Sağım Makinesi (Keçi)*



|                        |                        |
|------------------------|------------------------|
| Net Horse Power Output | : (7hp) at 3,600 r/min |
| Engine Type            | : Air-cooled, 4-Stroke |
| Fuel Type              | : Unleaded Gasoline    |

## TECHNICAL FEATURES

| <b>CHASSIS</b> |        | <b>BOX</b> |
|----------------|--------|------------|
| Length (cm)    | : 150  | 85         |
| Width (cm)     | : 70   | 62         |
| Height (cm)    | : 115  | 119        |
| Weight (kg)    | : 83,8 | 91,2       |

## VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

## MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

## OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 4-PS(G.E)) |
|-----------|-----------------------------|





# TKKC 4-PK(G.E.)

## DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 4-PK(G.E)) |
|-----------|-----------------------------|

# TKKC 4-AS(G.E.)

## DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 4-AS(G.E)) |
|-----------|-----------------------------|

# TKKC 4-AK(G.E.)

## DOUBLE MILKING MACHINES FOR GOATS

İkili Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 4-AK(G.E)) |
|-----------|-----------------------------|

O  
P  
T  
I  
O  
N  
A  
L



D

N

E

R

T

# TKKC 4-2 PS

**DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)***İkili Sağım Makinesi Çift Gügümlü (Keçi)*

## TECHNICAL FEATURES

| CHASSIS     | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 81   |
| Height (cm) | 105  |
| Weight (kg) | 67.4 |

## VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

## MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

## OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKC 4-2 PS) |
|-----------|--------------------------|

|                 |  |     |  |
|-----------------|--|-----|--|
| 20 ft           |  | 28x |  |
| 40 ft           |  | 56x |  |
| 40 ft High Cube |  | 84x |  |



# TKKC 4-2 PK

DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)

İkili Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKC 4-2 PK) |
|-----------|--------------------------|

# TKKC 4-2 AS

DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Keçi)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKC 4-2 AS) |
|-----------|--------------------------|

# TKKC 4-2 AK

DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Keçi)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKC 4-2 AK) |
|-----------|--------------------------|

O  
P  
T  
I  
O  
N  
A  
L



D

N

E

R

T

# TKKY 4-PS

**DOUBLE MILKING MACHINES FOR SHEEPS***İkili Sağım Makinesi (Koyun)*

## TECHNICAL FEATURES

**CHASSIS**

|             | <b>BOX</b> |
|-------------|------------|
| Length (cm) | 150        |
| Width (cm)  | 70         |
| Height (cm) | 105        |
| Weight (kg) | 57,9       |
|             | 85         |
|             | 62         |
|             | 87         |
|             | 61,6       |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

**MILKING GROUP**

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

**OPTIONAL FEATURES**

Pump Type : Oil Pump (TKKY 4-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



# TKKY 4-PK

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 4-PK) |
|-----------|------------------------|

# TKKY 4-AS

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 4-AS) |
|-----------|------------------------|

# TKKY 4-AK

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 4-AK) |
|-----------|------------------------|

O  
P  
T  
I  
O  
N  
A  
L



D

N

E

R

T

# TKKY 4-PS(G.E.)

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



### ENGINE FEATURES

|                        |                        |
|------------------------|------------------------|
| Net Horse Power Output | : (7hp) at 3,600 r/min |
| Engine Type            | : Air-cooled, 4-Stroke |
| Fuel Type              | : Unleaded Gasoline    |

### TECHNICAL FEATURES

| CHASSIS     |       | BOX  |
|-------------|-------|------|
| Length (cm) | : 150 | 85   |
| Width (cm)  | : 70  | 62   |
| Height (cm) | : 105 | 119  |
| Weight (kg) | : 83  | 90,4 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKY 4-PS(G.E)) |
|-----------|-----------------------------|





OPTIONAL

# TKKY 4-PK(G.E.)

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TYKY 4-PK(G.E))

# TKKY 4-AS(G.E.)

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TYKY 4-AS(G.E))

# TKKY 4-AK(G.E.)

## DOUBLE MILKING MACHINES FOR SHEEPS

*İkili Sağım Makinesi (Koyun)*



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TYKY 4-AK(G.E))



D

Z

E

R

T

# TKKY 4-2 PS

**DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)**

*İkili Sağım Makinesi Çift Gügümülü (Koyun)*



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 81   |
| Height (cm) | 105  |
| Weight (kg) | 66,6 |
|             | 90   |
|             | 83   |
|             | 87   |
|             | 72,2 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

Pump Type : Oil Pump (TYKY 4-2 PS)

|                 |  |     |  |
|-----------------|--|-----|--|
| 20 ft           |  | 28x |  |
| 40 ft           |  | 56x |  |
| 40 ft High Cube |  | 84x |  |



OPTIONAL

## TKKY 4-2 PK

### DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKY 4-2 PK) |
|-----------|--------------------------|

## TKKY 4-2 AS

### DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKY 4-2 AS) |
|-----------|--------------------------|

## TKKY 4-2 AK

### DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (TYKY 4-2 AK) |
|-----------|--------------------------|



D

N

E

R

T

# TK 1-PS

## SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 63   |
| Height (cm) | 100  |
| Weight (kg) | 53,5 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TY 1-PS)





OPTIONAL

## TK 1-PK

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TY 1-PK)

## TK 1-AS

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TY 1-AS)

## TK 1-AK

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TY 1-AK)



D

N

E

R

T

# TK 1-PS(G.E.)

## SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### ENGINE FEATURES

|                        |                        |
|------------------------|------------------------|
| Net Horse Power Output | : (7hp) at 3,600 r/min |
| Engine Type            | : Air-cooled, 4-Stroke |
| Fuel Type              | : Unleaded Gasoline    |

### TECHNICAL FEATURES

| <b>CHASSIS</b> |        |
|----------------|--------|
| Length (cm)    | : 150  |
| Width (cm)     | : 63   |
| Height (cm)    | : 115  |
| Weight (kg)    | : 78,6 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 1-PS(G.E)) |
|-----------|---------------------------|





OPTIONAL

## TK 1-PK(G.E.)

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 1-PK(G.E)) |
|-----------|---------------------------|

## TK 1-AS(G.E.)

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 1-AS(G.E)) |
|-----------|---------------------------|

## TK 1-AK(G.E.)

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                           |
|-----------|---------------------------|
| Pump Type | : Oil Pump (TY 1-AK(G.E)) |
|-----------|---------------------------|



R

O

N

U

J

# TJK 1-PS

## SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 115  |
| Width (cm)  | 54   |
| Height (cm) | 78   |
| Weight (kg) | 47,3 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4.9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |





OPTIONAL

# TJK 1-PK

SINGLE MILKING MACHINES FOR COWS  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

# TJK 1-AS

SINGLE MILKING MACHINES FOR COWS  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

# TJK 1-AK

SINGLE MILKING MACHINES FOR COWS  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |



ECONOMIC

# TEK 1-PS

SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 125  |
| Width (cm)  | 52   |
| Height (cm) | 89   |
| Weight (kg) | 46,5 |

### BOX

|    |
|----|
| 67 |
| 52 |
| 75 |
| 49 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4.9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |





OPTIONAL

# TEK 1-PK

SINGLE MILKING MACHINES FOR COWS  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

# TEK 1-AS

SINGLE MILKING MACHINES FOR COWS  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

# TEK 1-AK

SINGLE MILKING MACHINES FOR COWS  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |



COMPACT

# TCK 1-PS

## SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 125  |
| Width (cm)  | 52   |
| Height (cm) | 52   |
| Weight (kg) | 46,7 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4.9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |





OPTIONAL

# TCK 1-PK

**SINGLE MILKING MACHINES FOR COWS**  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

# TCK 1-AS

**SINGLE MILKING MACHINES FOR COWS**  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

# TCK 1-AK

**SINGLE MILKING MACHINES FOR COWS**  
Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |



D

N

E

R

T

# TKKC 2-PS

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 63   |
| Height (cm) | 100  |
| Weight (kg) | 53,4 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

### OPTIONAL FEATURES

Pump Type : Oil Pump (TYKC 2-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



OPTIONAL

## TKKC 2-PK

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKC 2-PK) |
|-----------|------------------------|

## TKKC 2-AS

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKC 2-AS) |
|-----------|------------------------|

## TKKC 2-AK

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKC 2-AK) |
|-----------|------------------------|



D

N

E

R

T

# TKKC 2-PS(G.E.) ENGINE FEATURES

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



|                        |                        |
|------------------------|------------------------|
| Net Horse Power Output | : (7hp) at 3,600 r/min |
| Engine Type            | : Air-cooled, 4-Stroke |
| Fuel Type              | : Unleaded Gasoline    |

## TECHNICAL FEATURES

| CHASSIS     |        | BOX  |
|-------------|--------|------|
| Length (cm) | : 150  | 85   |
| Width (cm)  | : 63   | 62   |
| Height (cm) | : 115  | 119  |
| Weight (kg) | : 78,5 | 85,9 |

## VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

## MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

## OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 2-PS(G.E)) |
|-----------|-----------------------------|





OPTIONAL

# TKKC 2-PK(G.E.)

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 2-PK(G.E)) |
|-----------|-----------------------------|

# TKKC 2-AS(G.E.)

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 2-AS(G.E)) |
|-----------|-----------------------------|

# TKKC 2-AK(G.E.)

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKC 2-AK(G.E)) |
|-----------|-----------------------------|

# TJKKC 2-PS

SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 115  |
| Width (cm)  | 54   |
| Height (cm) | 87   |
| Weight (kg) | 45,1 |
|             | 47,7 |

### VACUUM PUMP

|                   |               |
|-------------------|---------------|
| Engine Power (kW) | 0,55 kW       |
| Rotating (rpm)    | 1450 rpm      |
| Voltage (V)       | 220 V         |
| Flow Rate (L/min) | 180-200       |
| Palette Type      | Graphite      |
| Palette Size (mm) | 70 x 43 x 4.9 |
| Tank Capacity (L) | 4             |

### MILKING GROUP

|                     |                             |
|---------------------|-----------------------------|
| Bucket Type         | S/S                         |
| Bucket Volume       | 25 Lt.                      |
| Cluster Weight (gr) | 2 x 490 Gr.                 |
| Milk Claw Capacity  |                             |
| Milk Claw Type      | 2 Unit (4 x Universal Claw) |
| Milk Hose           | 200mm (22mm x 14mm)         |
| Pulse Hose          | 175mm (14mm x 7mm)          |





OPTIONAL

## TJKKC 2-PK

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

## TJKKC 2-AS

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

## TJKKC 2-AK

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |



E  
C  
O  
M  
I  
N

# TEKKC 2-PS

SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

| CHASSIS     | BOX  |
|-------------|------|
| Length (cm) | 125  |
| Width (cm)  | 52   |
| Height (cm) | 75   |
| Weight (kg) | 48,3 |

## VACUUM PUMP

|                   |               |
|-------------------|---------------|
| Engine Power (kW) | 0,55 kW       |
| Rotating (rpm)    | 1450 rpm      |
| Voltage (V)       | 220 V         |
| Flow Rate (L/min) | 180-200       |
| Palette Type      | Graphite      |
| Palette Size (mm) | 70 x 43 x 4.9 |
| Tank Capacity (L) | 4             |

## MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





OPTIONAL

# TEKKC 2-PK

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TEKKC 2-AS

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TEKKC 2-AK

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TCKKC 2-PS

SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 125  |
| Width (cm)  | 52   |
| Height (cm) | 52   |
| Weight (kg) | 45,1 |
|             | 47,4 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4.9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





OPTIONAL

# TCKKC 2-PK

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TCKKC 2-AS

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TCKKC 2-AK

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |



D

N

E

R

T

# TKKY 2-PS

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

| CHASSIS           | BOX  |
|-------------------|------|
| Length (cm) : 150 | 85   |
| Width (cm) : 63   | 62   |
| Height (cm) : 100 | 87   |
| Weight (kg) : 53  | 56,7 |

## VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

## MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

## OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 2-PS) |
|-----------|------------------------|





OPTIONAL

# TKKY 2-PK

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 2-PK) |
|-----------|------------------------|

# TKKY 2-AS

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 2-AS) |
|-----------|------------------------|

# TKKY 2-AK

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (TYKY 2-AK) |
|-----------|------------------------|



D

N

E

R

T

# TKKY 2-PS(G.E.)

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### ENGINE FEATURES

|                        |                        |
|------------------------|------------------------|
| Net Horse Power Output | : (7hp) at 3,600 r/min |
| Engine Type            | : Air-cooled, 4-Stroke |
| Fuel Type              | : Unleaded Gasoline    |

### TECHNICAL FEATURES

| CHASSIS     |        | BOX  |
|-------------|--------|------|
| Length (cm) | : 150  | 85   |
| Width (cm)  | : 63   | 62   |
| Height (cm) | : 115  | 87   |
| Weight (kg) | : 78,1 | 85,5 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKY 2-PS(G.E)) |
|-----------|-----------------------------|





# TKKY 2-PK(G.E.)

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKY 2-PK(G.E)) |
|-----------|-----------------------------|

# TKKY 2-AS(G.E.)

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKY 2-AS(G.E)) |
|-----------|-----------------------------|

# TKKY 2-AK(G.E.)

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

### OPTIONAL FEATURES

|           |                             |
|-----------|-----------------------------|
| Pump Type | : Oil Pump (TYKY 2-AK(G.E)) |
|-----------|-----------------------------|

O  
P  
T  
I  
O  
N  
A  
L



R

O

I

J

# TJKKY 2-PS

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

| CHASSIS            | BOX  |
|--------------------|------|
| Length (cm) : 115  | 67   |
| Width (cm) : 54    | 53   |
| Height (cm) : 87   | 78   |
| Weight (kg) : 44,7 | 47,3 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4,9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





# TJKKY 2-PK

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TJKKY 2-AS

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TJKKY 2-AK

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

O  
P  
T  
I  
O  
N  
A  
L



ECONOMIC

# TEKKY 2-PS

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

| CHASSIS     | BOX  |
|-------------|------|
| Length (cm) | 125  |
| Width (cm)  | 52   |
| Height (cm) | 75   |
| Weight (kg) | 47,9 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4,9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





OPTIONAL

# TEKKY 2-PK

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TEKKY 2-AS

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TEKKY 2-AK

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TCKKY 2-PS

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 125  |
| Width (cm)  | 52   |
| Height (cm) | 89   |
| Weight (kg) | 44,1 |
|             | 45,6 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4,9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





# TCKKY 2-PK

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TCKKY 2-AS

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

# TCKKY 2-AK

SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



## TECHNICAL FEATURES

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

O  
P  
T  
I  
O  
N  
A  
L



D

Z

L

R

T

## MILK BUCKET UNIT FOR COWS

Süt Gögüm Ünitesi (Büyükbaş)

1 PS



### TECHNICAL FEATURES

#### CHASSIS

|             |        |     |      |
|-------------|--------|-----|------|
| Length (cm) | : 40   | BOX | 38   |
| Width (cm)  | : 40   |     | 38   |
| Height (cm) | : 65   |     | 69   |
| Weight (kg) | : 10,9 |     | 12,2 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

1 PK



### TECHNICAL FEATURES

#### CHASSIS

|             |        |     |      |
|-------------|--------|-----|------|
| Length (cm) | : 40   | BOX | 38   |
| Width (cm)  | : 40   |     | 38   |
| Height (cm) | : 65   |     | 69   |
| Weight (kg) | : 10,9 |     | 12,2 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

1 AS



### TECHNICAL FEATURES

#### CHASSIS

|             |       |     |      |
|-------------|-------|-----|------|
| Length (cm) | : 40  | BOX | 38   |
| Width (cm)  | : 40  |     | 38   |
| Height (cm) | : 65  |     | 69   |
| Weight (kg) | : 9,4 |     | 10,7 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

1 AK



### TECHNICAL FEATURES

#### CHASSIS

|             |       |     |      |
|-------------|-------|-----|------|
| Length (cm) | : 40  | BOX | 38   |
| Width (cm)  | : 40  |     | 38   |
| Height (cm) | : 65  |     | 69   |
| Weight (kg) | : 9,4 |     | 10,7 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

# TKS

## FIXED SYSTEM VACUUM PUMP

Sabit Sistem Vakum Pompa



### TECHNICAL FEATURES

#### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 51   |
| Width (cm)  | 33   |
| Height (cm) | 77   |
| Weight (kg) | 34,5 |

#### BOX

|    |
|----|
| 53 |
| 35 |
| 77 |
| 36 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

#### OPTIONAL FEATURES

|           |                  |
|-----------|------------------|
| Pump Type | : Oil Pump (TYS) |
|-----------|------------------|

T  
R  
E  
M  
U



# TKS - 1 PS

**FIXED SYSTEM & SINGLE MILK BUCKET UNIT**

*Tek Güğüm Üniteli Sabit Sistem (Büyükbaş)*



## TECHNICAL FEATURES

### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                         |
|-----------|-------------------------|
| Pump Type | : Oil Pump (TYS - 1 PS) |
|-----------|-------------------------|

# TKS - 1 PK

## FIXED SYSTEM & SINGLE MILK BUCKET UNIT

Tek Gügüm Üniteli Sabit Sistem (Büyükbaş)



### TECHNICAL FEATURES

#### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TYS - 1 PK)



T  
R  
M  
Z



D

Z

E

R

T

# TKS - 1 AS

**FIXED SYSTEM & SINGLE MILK BUCKET UNIT***Tek Güğüm Üniteli Sabit Sistem (Büyükbaş)*

## TECHNICAL FEATURES

**CHASSIS**

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

**MILKING GROUP**

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

**OPTIONAL FEATURES****Pump Type : Oil Pump (TYS - 1 AS)**

# TKS - 1 AK

## FIXED SYSTEM & SINGLE MILK BUCKET UNIT

Tek Gügüm Üniteli Sabit Sistem (Büyükbaş)



### TECHNICAL FEATURES

#### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (TYS - 1 AK)



T  
R  
M

N  
Z

U



D

N

L

R

T

## FIXED SYSTEM BUCKET UNIT TROLLEY

Sabit Sistem Gögüm Ünitesi Taşıma Arabası

TT 2-PS



### TECHNICAL FEATURES

#### CHASSIS

|             |        |     |      |
|-------------|--------|-----|------|
| Length (cm) | : 120  | BOX | 70   |
| Width (cm)  | : 70   |     | 63   |
| Height (cm) | : 100  |     | 98   |
| Weight (kg) | : 27,9 |     | 28,9 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

TT 2-PK



### TECHNICAL FEATURES

#### CHASSIS

|             |        |     |      |
|-------------|--------|-----|------|
| Length (cm) | : 120  | BOX | 70   |
| Width (cm)  | : 70   |     | 63   |
| Height (cm) | : 100  |     | 98   |
| Weight (kg) | : 27,9 |     | 28,9 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

TT 2-AS



### TECHNICAL FEATURES

#### CHASSIS

|             |       |     |    |
|-------------|-------|-----|----|
| Length (cm) | : 120 | BOX | 70 |
| Width (cm)  | : 70  |     | 63 |
| Height (cm) | : 100 |     | 95 |
| Weight (kg) | : 26  |     | 27 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

TT 2-AK



### TECHNICAL FEATURES

#### CHASSIS

|             |       |     |    |
|-------------|-------|-----|----|
| Length (cm) | : 120 | BOX | 70 |
| Width (cm)  | : 70  |     | 63 |
| Height (cm) | : 100 |     | 95 |
| Weight (kg) | : 26  |     | 27 |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

# DBT 2

## BUCKET TROLLEY

Gügüm Taşıma Arabası (İkili)



### TECHNICAL FEATURES

#### CHASSIS

|             |       |
|-------------|-------|
| Length (cm) | : 130 |
| Width (cm)  | : 60  |
| Height (cm) | : 88  |
| Weight (kg) | : 9,4 |

#### BOX

|      |
|------|
| 87   |
| 62   |
| 30   |
| 10,4 |

D  
R  
E  
A  
M



DREAM

L

R

D

# DK 2-PS

**DOUBLE MILKING MACHINES FOR COWS***İkili Sağım Makinesi (Büyükbaş)*

## TECHNICAL FEATURES

**CHASSIS**

|             | <b>BOX</b> |
|-------------|------------|
| Length (cm) | 150        |
| Width (cm)  | 85         |
| Height (cm) | 70         |
| Weight (kg) | 62         |

**BOX**

|             |      |
|-------------|------|
| Length (cm) | 105  |
| Width (cm)  | 87   |
| Height (cm) | 63,8 |
| Weight (kg) |      |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

**MILKING GROUP**

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

**OPTIONAL FEATURES**

Pump Type : Oil Pump (DY 2-PS)

|                 |  |      |
|-----------------|--|------|
| 20 ft           |  | 48x  |
| 40 ft           |  | 102x |
| 40 ft High Cube |  | 153x |



## DK 2-PK

### DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240cc               |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (DY 2-PK) |
|-----------|----------------------|

## DK 2-AS

### DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (DY 2-AS) |
|-----------|----------------------|

## DK 2-AK

### DOUBLE MILKING MACHINES FOR COWS

İkili Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 40 Lt.                  |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (DY 2-AK) |
|-----------|----------------------|



DREAM

L

R

D

# DK 2-2 PS

**DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)***İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)*

## TECHNICAL FEATURES

**CHASSIS**

|             | <b>BOX</b> |
|-------------|------------|
| Length (cm) | 150        |
| Width (cm)  | 81         |
| Height (cm) | 105        |
| Weight (kg) | 68,8       |
|             | 90         |
|             | 83         |
|             | 87         |
|             | 74,4       |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

**MILKING GROUP**

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

**OPTIONAL FEATURES**

Pump Type : Oil Pump (DY 2-2 PS)

|                 |  |     |  |
|-----------------|--|-----|--|
| 20 ft           |  | 28x |  |
| 40 ft           |  | 56x |  |
| 40 ft High Cube |  | 84x |  |



OPTIONAL

## DK 2-2 PK

### DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : S/S                     |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DY 2-2 PK) |
|-----------|------------------------|

## DK 2-2 AS

### DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DY 2-2 AS) |
|-----------|------------------------|

## DK 2-2 AK

### DOUBLE MILKING MACHINES FOR COWS (TWIN BUCKET)

İkili Sağım Makinesi Çift Gügümlü (Büyükbaş)



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                           |
|---------------------|---------------------------|
| Bucket Type         | : Aluminum                |
| Bucket Volume       | : 2 x 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.                |
| Milk Claw Capacity  | : 2 x 240 cc              |
| Milk Hose           | : 2 x 225mm (25mm x 16mm) |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)  |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DY 2-2 AK) |
|-----------|------------------------|



DREAM

L

R

D

# DKKC 4-PS

**DOUBLE MILKING MACHINES FOR GOATS***İkili Sağım Makinesi (Keçi)*

## TECHNICAL FEATURES

**CHASSIS**

|             | <b>BOX</b> |
|-------------|------------|
| Length (cm) | 150        |
| Width (cm)  | 70         |
| Height (cm) | 105        |
| Weight (kg) | 58,7       |
|             | 85         |
|             | 62         |
|             | 87         |
|             | 62,4       |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

**MILKING GROUP**

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

**OPTIONAL FEATURES**

Pump Type : Oil Pump (DYKC 4-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



OPTIONAL

## DKKC 4-PK

### DOUBLE MILKING MACHINES FOR GOATS

*İkili Sağım Makinesi (Keçi)*



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKC 4-PK) |
|-----------|------------------------|

## DKKC 4-AS

### DOUBLE MILKING MACHINES FOR GOATS

*İkili Sağım Makinesi (Keçi)*



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKC 4-AS) |
|-----------|------------------------|

## DKKC 4-AK

### DOUBLE MILKING MACHINES FOR GOATS

*İkili Sağım Makinesi (Keçi)*



#### TECHNICAL FEATURES

##### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

##### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKC 4-AK) |
|-----------|------------------------|

# DKKC 4-2 PS

**DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)**

*İkili Sağım Makinesi Çift Gügümlü (Keçi)*



## TECHNICAL FEATURES

### CHASSIS

|             | BOX |
|-------------|-----|
| Length (cm) | 150 |
| Width (cm)  | 81  |
| Height (cm) | 105 |
| Weight (kg) | 73  |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKC 4-2 PS) |
|-----------|--------------------------|

|                 |  |     |  |
|-----------------|--|-----|--|
| 20 ft           |  | 28x |  |
| 40 ft           |  | 56x |  |
| 40 ft High Cube |  | 84x |  |



## DKKC 4-2 PK

**DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)**

İkili Sağım Makinesi Çift Gügümlü (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKC 4-2 PK) |
|-----------|--------------------------|

## DKKC 4-2 AS

**DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)**

İkili Sağım Makinesi Çift Gügümlü (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKC 4-2 AS) |
|-----------|--------------------------|

## DKKC 4-2 AK

**DOUBLE MILKING MACHINES FOR GOATS (TWIN BUCKET)**

İkili Sağım Makinesi Çift Gügümlü (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKC 4-2 AK) |
|-----------|--------------------------|

O  
P  
T  
I  
O  
N  
A  
L



DREAM

L

R

D

# DKKY 4-PS

**DOUBLE MILKING MACHINES FOR SHEEPS***İkili Sağım Makinesi (Koyun)*

## TECHNICAL FEATURES

**CHASSIS**

|             |        |
|-------------|--------|
| Length (cm) | : 150  |
| Width (cm)  | : 70   |
| Height (cm) | : 105  |
| Weight (kg) | : 57,9 |

**BOX**

|      |
|------|
| 85   |
| 62   |
| 87   |
| 61,6 |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

**MILKING GROUP**

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

**OPTIONAL FEATURES**

Pump Type : Oil Pump (DYKY 4-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



OPTIONAL

## DKKY 4-PK

**DOUBLE MILKING MACHINES FOR SHEEPS**  
İkili Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 4-PK) |
|-----------|------------------------|

## DKKY 4-AS

**DOUBLE MILKING MACHINES FOR SHEEPS**  
İkili Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 4-AS) |
|-----------|------------------------|

## DKKY 4-AK

**DOUBLE MILKING MACHINES FOR SHEEPS**  
İkili Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 40 Lt.                      |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 4-AK) |
|-----------|------------------------|



DREAM

L

R

D

# DKKY 4-2 PS

**DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)**

*İkili Sağım Makinesi Çift Gügümlü (Koyun)*



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 81   |
| Height (cm) | 105  |
| Weight (kg) | 66,6 |
|             | 72,2 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

### OPTIONAL FEATURES

Pump Type : Oil Pump (DYKY 4-2 PS)

|                 |  |     |  |
|-----------------|--|-----|--|
| 20 ft           |  | 28x |  |
| 40 ft           |  | 56x |  |
| 40 ft High Cube |  | 84x |  |



OPTIONAL

## DKKY 4-2 PK

**DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)**

İkili Sağım Makinesi Çift Gügümlü (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKY 4-2 PK) |
|-----------|--------------------------|

## DKKY 4-2 AS

**DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)**

İkili Sağım Makinesi Çift Gügümlü (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKY 4-2 AS) |
|-----------|--------------------------|

## DKKY 4-2 AK

**DOUBLE MILKING MACHINES FOR SHEEPS (TWIN BUCKET)**

İkili Sağım Makinesi Çift Gügümlü (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 2 x 30 Lt.                  |
| Cluster Weight (gr) | : 4 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 4 Unit (8 x Universal Claw) |
| Milk Hose           | : 2 x 225mm (24mm x 14mm)     |
| Pulse Hose          | : 2 x 200mm (14mm x 7mm)      |

#### OPTIONAL FEATURES

|           |                          |
|-----------|--------------------------|
| Pump Type | : Oil Pump (DYKY 4-2 AK) |
|-----------|--------------------------|



DREAM

EU

DR

D

# DK 1-PS

## SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 63   |
| Height (cm) | 100  |
| Weight (kg) | 53,5 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

Pump Type : Oil Pump (DY 1-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



O

P

T

I

O

## DK 1-PK

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (DY 1-PK) |
|-----------|----------------------|

## DK 1-AS

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (DY 1-AS) |
|-----------|----------------------|

## DK 1-AK

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                      |
|-----------|----------------------|
| Pump Type | : Oil Pump (DY 1-AK) |
|-----------|----------------------|



R

O

I

U

J

# DJK 1-PS

## SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 115  |
| Width (cm)  | 54   |
| Height (cm) | 87   |
| Weight (kg) | 44,7 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4,9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |





OPTIONAL

## DJK 1-PK

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

## DJK 1-AS

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |

## DJK 1-AK

### SINGLE MILKING MACHINES FOR COWS

Tekli Sağım Makinesi (Büyükbaş)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 25 Lt.              |
| Cluster Weight (gr) | : 2050 Gr.            |
| Milk Claw Capacity  | : 200 cc              |
| Milk Hose           | : 200mm (22mm x 14mm) |
| Pulse Hose          | : 175mm (14mm x 7mm)  |



DREAM

L

R

D

# DKKC 2-PS

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 150  |
| Width (cm)  | 63   |
| Height (cm) | 100  |
| Weight (kg) | 53,4 |

#### BOX

|      |
|------|
| 85   |
| 62   |
| 87   |
| 57,1 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (DYKC 2-PS)

|                 |  |      |  |
|-----------------|--|------|--|
| 20 ft           |  | 48x  |  |
| 40 ft           |  | 102x |  |
| 40 ft High Cube |  | 153x |  |



OPTIONAL

# DKKC 2-PK

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKC 2-PK) |
|-----------|------------------------|

# DKKC 2-AS

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKC 2-AS) |
|-----------|------------------------|

# DKKC 2-AK

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKC 2-AK) |
|-----------|------------------------|



R

O

I

J

# DJKKC 2-PS

## SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



## TECHNICAL FEATURES

### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 115  |
| Width (cm)  | 54   |
| Height (cm) | 87   |
| Weight (kg) | 45,1 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4.9 |
| Tank Capacity (L) | : 4             |

### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





OPTIONAL

## DJKKC 2-PK

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

## DJKKC 2-AS

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

## DJKKC 2-AK

### SINGLE MILKING MACHINES FOR GOATS

Tekli Sağım Makinesi (Keçi)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 490 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |



# DKKY 2-PS

## SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

| <b>CHASSIS</b> | <b>BOX</b> |
|----------------|------------|
| Length (cm)    | 150        |
| Width (cm)     | 63         |
| Height (cm)    | 100        |
| Weight (kg)    | 53         |
|                | 56,7       |

### VACUUM PUMP

|                   |               |
|-------------------|---------------|
| Engine Power (kW) | 0,55 kW       |
| Rotating (rpm)    | 1450 rpm      |
| Voltage (V)       | 220 V         |
| Flow Rate (L/min) | 200-230       |
| Palette Type      | Graphite      |
| Palette Size (mm) | 80 x 43 x 4.9 |
| Tank Capacity (L) | 18            |

### MILKING GROUP

|                     |                             |
|---------------------|-----------------------------|
| Bucket Type         | S/S                         |
| Bucket Volume       | 30 Lt.                      |
| Cluster Weight (gr) | 2 x 375 Gr.                 |
| Milk Claw Capacity  |                             |
| Milk Claw Type      | 2 Unit (4 x Universal Claw) |
| Milk Hose           | 225mm (24mm x 14mm)         |
| Pulse Hose          | 200mm (14mm x 7mm)          |

### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 2-PS) |
|-----------|------------------------|





OPTIONAL

## DKKY 2-PK

### SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 2-PK) |
|-----------|------------------------|

## DKKY 2-AS

### SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 2-AS) |
|-----------|------------------------|

## DKKY 2-AK

### SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 30 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 225mm (24mm x 14mm)         |
| Pulse Hose          | : 200mm (14mm x 7mm)          |

#### OPTIONAL FEATURES

|           |                        |
|-----------|------------------------|
| Pump Type | : Oil Pump (DYKY 2-AK) |
|-----------|------------------------|



R

O

N

J

# DJKKY 2-PS

**SINGLE MILKING MACHINES FOR SHEEPS***Tekli Sağım Makinesi (Koyun)*

## TECHNICAL FEATURES

**CHASSIS**

|             |        |
|-------------|--------|
| Length (cm) | : 115  |
| Width (cm)  | : 54   |
| Height (cm) | : 87   |
| Weight (kg) | : 44,7 |

**BOX**

|      |
|------|
| 67   |
| 53   |
| 78   |
| 47,3 |

**VACUUM PUMP**

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 180-200       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 70 x 43 x 4,9 |
| Tank Capacity (L) | : 4             |

**MILKING GROUP**

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |





OPTIONAL

## DJKKY 2-PK

### SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : S/S                         |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

## DJKKY 2-AS

### SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |

## DJKKY 2-AK

### SINGLE MILKING MACHINES FOR SHEEPS

Tekli Sağım Makinesi (Koyun)



### TECHNICAL FEATURES

#### MILKING GROUP

|                     |                               |
|---------------------|-------------------------------|
| Bucket Type         | : Aluminum                    |
| Bucket Volume       | : 25 Lt.                      |
| Cluster Weight (gr) | : 2 x 375 Gr.                 |
| Milk Claw Capacity  | :                             |
| Milk Claw Type      | : 2 Unit (4 x Universal Claw) |
| Milk Hose           | : 200mm (22mm x 14mm)         |
| Pulse Hose          | : 175mm (14mm x 7mm)          |



LAM

LI

R

D

## FIXED SYSTEM BUCKET UNIT TROLLEY

Sabit Sistem Gүгүм Ünitesi Taşıma Arabası

### DT 2-PS



#### TECHNICAL FEATURES

##### CHASSIS

|             |        |     |      |
|-------------|--------|-----|------|
| Length (cm) | : 120  | BOX | 70   |
| Width (cm)  | : 70   |     | 63   |
| Height (cm) | : 100  |     | 98   |
| Weight (kg) | : 27,9 |     | 28,9 |

##### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### DT 2-AS



#### TECHNICAL FEATURES

##### CHASSIS

|             |       |     |    |
|-------------|-------|-----|----|
| Length (cm) | : 120 | BOX | 70 |
| Width (cm)  | : 70  |     | 63 |
| Height (cm) | : 100 |     | 95 |
| Weight (kg) | : 26  |     | 27 |

##### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### DT 2-PK



#### TECHNICAL FEATURES

##### CHASSIS

|             |        |     |      |
|-------------|--------|-----|------|
| Length (cm) | : 120  | BOX | 70   |
| Width (cm)  | : 70   |     | 63   |
| Height (cm) | : 100  |     | 98   |
| Weight (kg) | : 27,9 |     | 28,9 |

##### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### DT 2-AK



#### TECHNICAL FEATURES

##### CHASSIS

|             |       |     |    |
|-------------|-------|-----|----|
| Length (cm) | : 120 | BOX | 70 |
| Width (cm)  | : 70  |     | 63 |
| Height (cm) | : 100 |     | 95 |
| Weight (kg) | : 26  |     | 27 |

##### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 40 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 2 x 240cc           |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |



D

R

E

A

M

# DKS

## FIXED SYSTEM VACUUM PUMP

Sabit Sistem Vakum Pompa



### TECHNICAL FEATURES

#### CHASSIS

|             | BOX  |
|-------------|------|
| Length (cm) | 51   |
| Width (cm)  | 33   |
| Height (cm) | 77   |
| Weight (kg) | 34,5 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4,9 |
| Tank Capacity (L) | : 18            |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (DYS)



DREAM

LIL

DR

D

# DKS - 1 PS

**FIXED SYSTEM & SINGLE MILK BUCKET UNIT***Tek Güğüm Üniteli Sabit Sistem (Büyükbaş)*

## TECHNICAL FEATURES

### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

Pump Type : Oil Pump (DYS - 1 PS)

D  
R  
E

E

M  
A  
N

W

# DKS - 1 PK

## FIXED SYSTEM & SINGLE MILK BUCKET UNIT

Tek Gügüm Üniteli Sabit Sistem (Büyükbaş)



### TECHNICAL FEATURES

#### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : S/S                 |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

Pump Type : Oil Pump (DYS - 1 PK)



DREAM

LIL

DR

D

# DKS - 1 AS

**FIXED SYSTEM & SINGLE MILK BUCKET UNIT**

Tek Güğüm Üniteli Sabit Sistem (Büyükbaş)



## TECHNICAL FEATURES

### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Silicone |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

### OPTIONAL FEATURES

|           |                         |
|-----------|-------------------------|
| Pump Type | : Oil Pump (DYS - 1 AS) |
|-----------|-------------------------|

# DKS - 1 AK

## FIXED SYSTEM & SINGLE MILK BUCKET UNIT

Tek Gügüm Üniteli Sabit Sistem (Büyükbaş)



### TECHNICAL FEATURES

#### CHASSIS

|             |      |
|-------------|------|
| Length (cm) | : 33 |
| Width (cm)  | : 50 |
| Height (cm) | : 73 |
| Weight (kg) | : 35 |

#### VACUUM PUMP

|                   |                 |
|-------------------|-----------------|
| Engine Power (kW) | : 0,55 kW       |
| Rotating (rpm)    | : 1450 rpm      |
| Voltage (V)       | : 220 V         |
| Flow Rate (L/min) | : 200-230       |
| Palette Type      | : Graphite      |
| Palette Size (mm) | : 80 x 43 x 4.9 |
| Tank Capacity (L) | : 18            |

#### MILKING GROUP

|                     |                       |
|---------------------|-----------------------|
| Liner Type          | : Long Liner Rubber   |
| Bucket Type         | : Aluminum            |
| Bucket Volume       | : 30 Lt.              |
| Cluster Weight (gr) | : 2250 Gr.            |
| Milk Claw Capacity  | : 240 cc              |
| Milk Hose           | : 225mm (25mm x 16mm) |
| Pulse Hose          | : 200mm (14mm x 7mm)  |

#### OPTIONAL FEATURES

|           |                         |
|-----------|-------------------------|
| Pump Type | : Oil Pump (DYS - 1 AK) |
|-----------|-------------------------|

**3576****FODDER CRUSHING MACHINE***Yem Kırma Makinası (4HP)*

*4HP 3Kw  
3000 Rpm  
220 Volt*

**3576-1****FODDER CRUSHING MACHINE***Yem Kırma Makinası (4HP)*

*4HP 3Kw  
3000 Rpm  
380 Volt*

|        |         |         |
|--------|---------|---------|
| WHEAT  | 500-600 | kg/Hour |
| BARLEY | 450-550 | kg/Hour |
| CORN   | 600-700 | kg/Hour |

**3582****SHREDDER MACHINE***Sap Saman Kıyma Makinası (4HP)*

*4HP 3Kw  
3000 Rpm  
220 Volt*

3577

**SWINGING COW BRUSH MACHINE**

Kaşima Fırçası



TWO SIDE ROTATION

3584

**DOUGH KNEADING MACHINE**

Hamur Karma Makinası



Capacity 35 Kg



**3579****CHURNING MACHINE 40 LT/HOUR (ELECTRICAL)**

Yayık Makinası



Patented design %11 more butter



Capacity 40 Lt.

**3581****SOLAR FENCE SYSTEMS**

Güneş Panelli Elektrikli Çit Panel Seti



**3581-2****SOLAR PANEL 10W***Solar Panel 10W Aparatlı***3581-1****ELECTRIC FENCER***Sok Cihazı***3581-5****BATTERY***Akü*

12 Volt

7 Ah

20 HR

**3581-4****INSULATOR (GALVANIZED)***İzolatör***FENCE WIRES***Çit İpleri***3548****3549****3580**

500 Mt.



250 Mt.




200 Mt.



**3111**

**LONG LINER (IGA)**

*Uzun Meme Lastiği (IGA)*



| Rubber | A  | B  | C   | D  | E    | Silicone |
|--------|----|----|-----|----|------|----------|
| 3111   | 59 | 24 | 313 | 14 | 28,5 | 3111-1   |

**3111-1**

**SILICONE LONG LINER(IGA)**

*Uzun Silikon Meme Lastiği (IGA)*



**7004**

**TEATCUP SHELL (HALF - TYPE)**

*Paslanmaz Meme Lastiği Kılıfı (Yarım Tip)*

| Ø A  | Ø B   | L     | W              |
|------|-------|-------|----------------|
| 7004 | 45 mm | 41 mm | 124 mm 222 Gr. |
| 7019 | 45 mm | 39 mm | 124 mm 245 Gr. |
| 3238 | 45 mm | 42 mm | 124 mm 185 Gr. |



**3315**

**END OF TEATCUP SHELL WITH 2 O-RING**

*Meme Lastığı Kılıfı Şeffaf Plastiği (2 O-ring)*



**3360**

**O Ring (33X2,62)**



**3202**

**SHORT VACUUM TUBE**

*Kısa Hava Hortumu*



**7050**

**MILKING CLAW (COMPLETE) 240CC**  
240cc- Komple Melasty Pençe



W: 565 gr.

**7050-1**

**MILKING CLAW (COMPLETE) 240CC**  
240cc- Komple Melasty Pençe  
(K.A.Çıkarıcı Askılı)



**3521**

**CLAW BOTTOM BOWL (COMPLETE) 240CC**  
240cc - Melasty Pençe Kapağı (Komple)



**3522**

**CLAW BOTTOM BOWL (TRANSPARENT) 240CC**  
240cc - Melasty Pençe Kapağı (Şeffaf)



**3525**

**SHUT OFF VALVE (SET) 240CC**  
240cc - Oval Pençe Takozu Takımı



**3527**

**SHUT OFF VALVE 240CC**  
240cc - Oval Pençe Takozu



**3526**

**SHUT OFF VALVE GASKET 240CC**  
240cc - Oval Pençe Kelebeği




**7054**

**UPPER OF CLAW 240 CC**  
Melasty Pençe Altı



**3524**

**AIR DISTRIBUTOR OF CLAW 240CC**  
240cc - Nabız Takşimi



**3528**

**CLAW GASKET 240CC**  
240cc - Melasty Pençe Contası



**3529**

**MILK CLAW MOLDER 240CC**  
240cc - Oval Pençe Askısı



**3536**

**MILK CLAW MOLDER 240CC**  
240cc - Oval Pençe Çıkarıcı Askısı



**3531**

**MILK CLAW NUT 240CC**  
240cc - Oval Pençe Kapak Somunu



**3530**

**MILK CLAW LOWER PORT GASKET 240CC**  
240cc - Oval Pençe Kapağı Alt Contası



**7100**

**MILKING CLAW (COMPLETE) 340CC**

340cc- Komple Melasty Pençe  
(K.A. Düz Askılı)



W: 575 gr.

**7100-1**

**MILKING CLAW (COMPLETE) 340CC**

340cc- Komple Melasty Pençe  
(K.A. Çıkarıcı Askılı)



**3703**

**MILK CLAW MOLDER 340CC**

340cc - Oval Pençe Askısı



**3703-1** **3531**

**MILK CLAW MOLDER 340CC**

340cc - Oval Pençe Çıkarıcı Askısı



**MILK CLAW NUT 240CC**

240cc - Oval Pençe Kapaklı Alt Kontası



**3530**

**MILK CLAW LOWER PORT GASKET 240CC**

240cc - Oval Pençe Kapağı Alt Kontası



**3701**

**CLAW BOTTOM BOWL (COMPLETE) 340CC**

340cc - Melasty Pençe Kapağı (Komple)



**3702**

**CLAW BOTTOM BOWL (TRANSPARENT) 340CC**

340cc - Melasty Pençe Kapağı (Şeffaf)



**7022**

**MELASTY CABLE BRACKET**

Melasty Kablo Askısı



**3645**

**BUCKET PAD**

Güğüm Altlığı



**3679**

**MILK STOPPER**

Melasty Süt Stop



**7014**

**NON- RETURN VALVE (SET) (1")**

Check Valf Seti (1")

**7011**

**PIPE OF NON-RETURN VALVE**

Check Valf Borusu (1")



**7013**

**BALL OF NON-RETURN VALVE Ø17**

Check Valf Bilyası Ø17



**7012**

**WASHER OF NON-RETURN VALVE**

Check Valf Pulu



**7005**

**VACUUM DISTRIBUTOR**

*Melasty Vakum Distribütörü*



**7006**

**3/4 BUTTERFLY HANDLE BALL VALVES**

*3/4 Kelebek Küresel Vana*



**7007**

**3/4 20MM HOSE FITTINGS**

*3/4 20mm Erkek Hortum Rekoru*



**7003**

**TUBE CLIP**

*Melasty Hortum Kelepçesi*



**7020**

**VACUUM TANK HOSE (SHORT)**

*Vakum Tank Hortumu (Kısa)*



**7021**

**VACUUM TANK HOSE (LONG)**

*Vakum Tank Hortumu (Uzun)*



**ZDöküm Vakum Pompaları**

| CODE | TYPE                              |
|------|-----------------------------------|
| 3551 | CASTING VACUUM PUMP (70 mm - Dry) |
| 3552 | CASTING VACUUM PUMP (70 mm - Oil) |
| 3561 | CASTING VACUUM PUMP (80 mm - Dry) |
| 3562 | CASTING VACUUM PUMP (80 mm - Oil) |
| 3563 | CASTING VACUUM PUMP (85 mm - Dry) |
| 3564 | CASTING VACUUM PUMP (85 mm - Oil) |



**7003**

**GRAPHITE**

*Melasty Hortum Kelepçesi*



**GRAPHITE**



**FIBER**

| GRAPHITE VANES | SIZE (mm)         | FIBER VANES |
|----------------|-------------------|-------------|
| 3227           | B(4.90 x 43 x 70) | 3417        |
| 7015           | M(4.90 x 43 x 80) | 7016        |

7008

VACUUM TANK DRY (18 L.)

Vakum Tankı (Kuru - 18 L.)



7009

GALVANIZED VACUUM TANK DRY (18 L.)


Galvaniz Vakum Tankı (Kuru - 18 L.)



7010

VACUUM TANK OIL (18 L.)

Vakum Tankı (Yağlı - 18 L.)



**WWW.MELASTY.COM**